

Publications of Regen Lab kit users

SPORTS MEDICINE

2018

1. Abate M, Di Carlo L, Verna S, Di Gregorio P, Schiavone C, Salini V. Synergistic activity of platelet rich plasma and high volume image guided injection for patellar tendinopathy. *Knee Surg Sports Traumatol Arthrosc* 2018.Epub
<http://www.ncbi.nlm.nih.gov/pubmed/29605861>
2. Wu YT, Hsu KC, Li TY, Chang CK, Chen LC. Effects of Platelet-Rich Plasma on Pain and Muscle Strength in Patients With Knee Osteoarthritis. *Am J Phys Med Rehabil* 2018;97:248-54.
<http://www.ncbi.nlm.nih.gov/pubmed/29210705>

2017

3. Blums K, Zebolds S, Goncars V. Knee Osteoarthritis Treatment Using Platelet Rich Plasma Mix with Hyaluronic Acid: 6-Month Follow-up. In: *RSU International Student Conference (ISC)*. Riga, Latvia; 2017:319-20.
4. Carrai L. Studio sperimentale prospettico randomizzato in doppio cieco sull'utilizzo di HA e concentrato piastrinico nel trattamento delle patologie cartilaginee del ginocchio. (Prospective, double-blind, randomized experimental study on the use of HA and platelet concentrate in the treatment of cartilage pathologies of the knee.): *UNIVERSITÀ DEGLI STUDI DI MILANO*; 2017.
5. Chen CPC, Cheng CH, Hsu CC, Lin HC, Tsai YR, Chen JL. The influence of platelet rich plasma on synovial fluid volumes, protein concentrations, and severity of pain in patients with knee osteoarthritis. *Exp Gerontol* 2017;93:68-72.
<http://www.ncbi.nlm.nih.gov/pubmed/28433472>
6. Erroi D, Sigona M, Suarez T, et al. Conservative treatment for Insertional Achilles Tendinopathy: platelet-rich plasma and focused shock waves. A retrospective study. *Muscles, ligaments and tendons journal* 2017;7:98-106.
<http://www.ncbi.nlm.nih.gov/pubmed/28717617>
7. Huang PH, Wang CJ, Chou WY, Wang JW, Ko JY. Short-term clinical results of intra-articular PRP injections for early osteoarthritis of the knee. *Int J Surg* 2017;42:117-22.
<http://www.ncbi.nlm.nih.gov/pubmed/28476542>

8. Kuo YC, Lee CC, Hsieh LF. Ultrasound-guided perineural injection with platelet-rich plasma improved the neurophysiological parameters of carpal tunnel syndrome: A case report. *J Clin Neurosci* 2017;44:234-6.
<http://www.ncbi.nlm.nih.gov/pubmed/28688621>
9. Landi S, Landa P, Russo S. Valutazione economica sull'utilizzo del plasma arricchito di piastrine vs acido ialuronico per il trattamento dell'osteoartrosi al ginocchio. Scenario a 1 anno e a 5 anni (*Economic evaluation of platelet-rich-plasma versus hyaluronic acid for the treatment of knee osteoarthritis. Scenarios to 1 and 5 years*). *GRHTA* 2017;4:e11-e21
<http://www.grhta.com/article/c27693e1-b6cc-4b77-a692-ce5e294e9b3f>
10. Papalia R, Zampogna B, Vadala G, et al. Are Platelet Rich Plasma Injections More Effective in Tendinopathy or Enthesopathy? *J Pain Relief* 2017;6:288.
<https://www.omicsonline.org/open-access/are-platelet-rich-plasma-injections-more-effective-in-tendinopathy-orenthesopathy-2167-0846-1000288.pdf>
11. Russo S, Landi S, Landa P. Management of knee osteoarthritis in Italy. A cost-utility analysis of Platelet-Rich-Plasma dedicated kit versus Hyaluronic acid for the intra-articular treatment of knee OA. Department of Management, Università Ca' Foscari Venezia 2017;Working Papers 08.
<http://virgo.unive.it/wpideas/storage/2017wp08.pdf>
12. Seleem NA, Elshereef E, Elhosary AA, Salama NM. Intra-Articular Injections of Platelet-Rich Plasma Combined with Hyaluronic Acid Versus Hyaluronic Acid Alone in Treatment of Knee Osteoarthritis. *ejpmr* 2017;4:608-15.
http://www.ejpmr.com/admin/assets/article_issue/1492855333.pdf
13. Vischer S. Standardised preparations of autologous platelet-rich plasma (PRP) and bone marrow cells for orthopaedic therapy, Préparations standardisées de plasma autologue riche en plaquettes (PRP) et de cellules de moelle osseuse destinées à un usage thérapeutique en orthopédie. *Maîtrise orthopédique* 2017;266:10-5.
<https://mo-journal.com/posts/standardised-preparations-of-autologous-platelet-rich-plasma-prp-and-bone-marrow-cells-for-orthopaedic-therapy-798>
14. Wu YT, Ho TY, Chou YC, et al. Six-month efficacy of platelet-rich plasma for carpal tunnel syndrome: A prospective randomized, single-blind controlled trial. *Sci Rep* 2017;7:94.
<http://www.ncbi.nlm.nih.gov/pubmed/28273894>

2016

15. Di Sante L, Villani C, Santilli V, et al. Intra-articular hyaluronic acid vs platelet-rich plasma in the treatment of hip osteoarthritis. *Medical ultrasonography* 2016;18:463-8.
<http://www.ncbi.nlm.nih.gov/pubmed/27981279>

16. Li TY, Cheng SN, Pan RY, Chen YC. Intra-articular injection of platelet-rich plasma versus hyaluronic acid viscosupplementation in treating haemophilic arthropathy of the knee joints. *Haemophilia* 2016;22:96.
https://www.postersessiononline.eu/173580348_eu/congresos/WFH2016/aula/-PP-T_137_WFH2016.pdf
17. Punduk Z, Oral O, Ozkayin N, Rahman K, Varol R. Single dose of intra-muscular platelet rich plasma reverses the increase in plasma iron levels in exercise-induced muscle damage: A pilot study. *Journal of Sport and Health Science* 2016;5:109-14.
<http://www.sciencedirect.com/science/article/pii/S2095254615000204>
18. Russo M, Volschenk W, Santarelli D. Effectiveness of PRP in the Treatment of Tendinopathy: Letter to the Editor. *Am J Sports Med* 2016;44:NP52-NP3
<http://www.ncbi.nlm.nih.gov/pubmed/27694606>
19. Russo F, D'Este M, Vadala G, et al. Platelet Rich Plasma and Hyaluronic Acid Blend for the Treatment of Osteoarthritis: Rheological and Biological Evaluation. *PLoS One* 2016;11:e0157048.
<http://www.ncbi.nlm.nih.gov/pubmed/27310019>

2015

20. Abate M, Verna S, Schiavone C, Di Gregorio P, Salini V. Efficacy and safety profile of a compound composed of platelet-rich plasma and hyaluronic acid in the treatment for knee osteoarthritis (preliminary results). *European journal of orthopaedic surgery & traumatology : orthopedie traumatologie* 2015;25:1321-6.
<http://www.ncbi.nlm.nih.gov/pubmed/26403468>
21. Crescibene A, Napolitano M, Sbrano R, Costabile E, Almolla H. Infiltration of Autologous Growth Factors in Chronic Tendinopathies. *Journal of blood transfusion* 2015;2015:924380.
<http://www.ncbi.nlm.nih.gov/pubmed/26171277>
22. Gobbi A, Lad D, Karnatzikos G. The effects of repeated intra-articular PRP injections on clinical outcomes of early osteoarthritis of the knee. *Knee Surg Sports Traumatol Arthrosc* 2015;23(8):2170-7.
<http://www.ncbi.nlm.nih.gov/pubmed/24748286>
23. Kreuz PC, Kruger JP, Metzloff S, et al. Platelet-Rich Plasma Preparation Types Show Impact on Chondrogenic Differentiation, Migration, and Proliferation of Human Subchondral Mesenchymal Progenitor Cells. *Arthroscopy* 2015;31:1951-61
<http://www.ncbi.nlm.nih.gov/pubmed/25980401>
24. Pan J-L. A38 PRP Injection for the Painful Hips: The Taiwan Series. In: TOBI The Orthobiologic Institute's 6 th Annual PRP & Regenerative Medicine Symposium. Las Vegas, USA.; 2015.
<http://www.har-journal.com/supplements/4S1>

25. Salini V, Vanni D, Pantalone A, Abate M. Platelet Rich Plasma Therapy in Non-insertional Achilles Tendinopathy: The Efficacy is Reduced in 60-years Old People Compared to Young and Middle-Age Individuals. *Frontiers in aging neuroscience* 2015;7:228.
<http://www.ncbi.nlm.nih.gov/pubmed/26696880>
26. Wang CC, Lee CH, Peng YJ, Salter DM, Lee HS. Platelet-Rich Plasma Attenuates 30-kDa Fibronectin Fragment-Induced Chemokine and Matrix Metalloproteinase Expression by Meniscocytes and Articular Chondrocytes. *Am J Sports Med* 2015;43:2481-9.
<http://www.ncbi.nlm.nih.gov/pubmed/26306780>

2014

27. Dominijanni A, Monterosso G, Santoro RC, Brescia A. Use of PRG in joints affected by hemophilic arthropathy: our experience. *Transfusion and Apheresis Science* 2014;50:S12-S3.
https://www.researchgate.net/publication/290238795_Use_of_PRG_in_joints_affected_by_hemophilic_arthropathy_our_experience
28. Doss AX. Case Report: Neotendon regeneration and repair of gluteus tendon tear at 1-year follow-up after ultrasound guided platelet rich plasma tenotomy F1000Research 2014;3.
<http://f1000research.com/articles/3-284/v1>
29. Doss AX. Case Series Report: Ultrasound Guided Autologous Liquid Platelet Rich Plasma - A new treatment option for Complex Regional Pain Syndrome and Reflex Sympathetic Dystrophy? *WebmedCentral ORTHOPAEDICS* 2014;5:WMC004621
https://www.webmedcentral.com/article_view/4621
30. Gobbi A, Karnatzikos G, Malchira S, Kumar A. Platelet Rich Plasma (PRP) in Osteoarthritis. In: Lana JFSD, Santana MHA, Belangero WD, Luzo ACM, eds. *Platelet-Rich Plasma; Regenerative Medicine: Sports Medicine, Orthopedic, and Recovery of Musculoskeletal Injuries*: Springer Berlin Heidelberg; 2014:231-6.
http://link.springer.com/chapter/10.1007%2F978-3-642-40117-6_11
31. Gobbi A, Karnatzikos G, Lad D. Knee Cartilage Lesions Management in Professional Athletes. *Sphera Medical Journal* 2014;10:30-8
<http://www.spheramedicaljournal.it/>
32. Gobbi A, Lad D, Karnatzikos G. International experience with cartilage repair. In: *ISMF 2014 Carlsbad, California*; 2014.
<http://www.mciconsulting.com/meetings/2014/ismf/InteractiveAgenda.aspx?date=01/18/14>

33. Mangone G, Orioli A, Pinna A, Pasquetti P. Infiltrative treatment with Platelet Rich Plasma (PRP) in gonarthrosis. Clinical cases in mineral and bone metabolism : the official journal of the Italian Society of Osteoporosis, Mineral Metabolism, and Skeletal Diseases 2014;11:67-72.
<http://www.ncbi.nlm.nih.gov/pubmed/25002882>
34. Papalia R, Vadala G, Franceschi F, et al. A comparison of clinical results between microfracture technique with the use of PRF intra-operative injection, PRP post-operative injection and microfracture only for osteochondral lesion of the knee. Bone & Joint Journal Orthopaedic Proceedings Supplement 2014;96-B:124-
http://www.bjjprocs.boneandjoint.org.uk/content/96-B/SUPP_11/124
35. Punduk Z, Oral O, Aydinoglu R, Ozkayin N. Exercise induced muscle damage may be improved by a single dose of intra-muscular platelet rich plasma: a pilot study. Central European Journal of Sport Sciences and Medicine 2014;8:19-26.
<http://www.cejssm.usz.edu.pl/cejssm-vol-8-no-4-2014>
36. Renevier JL, Marc JF. Etude Pilote d'un dispositif médical intra-articulaire innovant dans la prise en charge de la gonarthrose symptomatique fémoro-tibiale grade II-III radiologique après échec d'un AH. Revue du Rhumatisme 2014;81:A202.
<http://www.em-consulte.com/article/949445/article/communications-posters>

2013

37. Doss AX. Neotendon infilling of a full thickness rotator cuff foot print tear following ultrasound guided liquid platelet rich plasma injection and percutaneous tenotomy: favourable outcome up to one year. F1000Research 2013;2.
<http://f1000r.es/xz>
38. Gobbi A, Lad D, Karnatzikos G. Un Plasma ricco in piastrine per il ginocchio [Platelet-rich plasma for the knee]. Sport & Medicina 2013;6:33-7.
<http://www.sportemedicina.it/index.php/fascicolo-n.6-novembre-dicembre-2013/abstracts/un-plasma-ricco-di-piastrine-per-il-ginocchio.html>

2012

39. Gobbi A, Karnatzikos G, Mahajan V, Malchira S. Platelet-Rich Plasma Treatment in Symptomatic Patients With Knee Osteoarthritis: Preliminary Results in a Group of Active Patients. Sports Health: A Multidisciplinary Approach 2012;March:162-72.
<http://www.ncbi.nlm.nih.gov/pubmed/23016084>
40. Napolitano M, Matera S, Bossio M, et al. Autologous platelet gel for tissue regeneration in degenerative disorders of the knee. Blood Transfus 2012;10:72-7.
<http://www.ncbi.nlm.nih.gov/pubmed/22044954>

41. Papalia R, Franceschi F, Carni S, et al. Intra-Articular injections for degenerative cartilage lesions of the knee: platelet rich plasma vs hyaluronic acid. Muscles, ligaments and tendons journal 2012;2 (3 – Suppl):67.
http://www.mltj.org/index.php?PAGE=issue&ID_ISSUE=636
42. Sainsous B, Kelberine F, Malgoyres A, Alonso A, Bigard X. Platelets rich plasma: what do we inject!. Muscles, ligaments and tendons journal 2012;2 (3 – Suppl):8.
http://www.mltj.org/index.php?PAGE=issue&ID_ISSUE=636
43. Vander Kraats R, Doss A. Glenoid Labral Tear: follow up case series on ultrasound guided autologous platelet rich plasma in conjunction with a progressive rehabilitation program F1000Research 2012;1.
<http://f1000r.es/WqpHu9>

2011

44. Gobbi A, Somanna MS, Karnatzikos G. Platelet-rich plasma (PRP) in osteoarthritis - our early experience. ICRS newsletter 2011:29-30.
45. Gobbi A, Karnatzikos G, Malchira S, Turgeon D. Techniques of cartilage repair in athletes. Minerva Ortopedica e Traumatologica 2011;62:297-309
<https://www.minervamedica.it/en/journals/minerva-ortopedica-traumatol/article.php?cod=R14Y2011N04A0297>
46. Le Coz J. Traitement de 22 cas de tendinites du coude, rebelles aux traitements classiques, par injection de plasma riche en plaquettes (PRP). Journal de Traumatologie du Sport 2011;28:83-9.
<http://www.sciencedirect.com/science/article/pii/S0762915X11000349>
47. Stigliano MA, Visin F, Sargentini V, Pizzi T. USO DEL PRP AUTOLOGO NEL TRATTAMENTO DELLE ARTROPATIE E TENDINOPATIE DEGENERATIVE E INFIAMMATORIE. 2011; 61° Congresso Nazionale A.I.Pa.C.Me.M., Caserta Italy.
<http://www.aipacmem.it/Details.aspx?id=189>

2010

48. Conz C, Karnatzikos G, Bevilacqua S, Gobbi A. Proteggi, ripara, presto! Sport & Medicina 2010;5:18-23.
<http://www.sportemedicina.it/>
49. Gobbi A. New Possibilities for Cartilage Repair. European Musculoskeletal Review 2010.
http://albertogobbi.it/wp-content/uploads/pdf/european_musculoskeletal_rewiev.pdf
50. Goh P. Platelet-Rich Plasma Therapy Applications of PRP in Sports and Musculoskeletal Medicine. Medical Grapevine 2010:12-4.

2009

51. Castellacci E. L'ingegneria tissutale: utilizzo di fattori di crescita e cellule staminali in traumatologia dello sport. GIOT 2009;35:163-9.
<http://www.giot.it/fascicoli/2009/vol5-09/castellacci.pdf>
52. Gobbi A, Bathan L. Biological approaches for cartilage repair. J Knee Surg 2009;22:36-44.
<http://www.ncbi.nlm.nih.gov/pubmed/19216352>